



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Rick Jarrell
295 Southside Church Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
295 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,

A handwritten signature in black ink, appearing to read "George Adams", written in a cursive style.

George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooresville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Kenneth & Thresia Link
1514 Old Mill Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
298 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the ISHB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**


If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
277 Bynum Road
Lincolnton, North Carolina 28092

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well? _____

When was your well installed? _____

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Kenneth & Thresia Link
1514 Old Mill Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
298 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**


If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
277 Bynum Road
Lincolnton, North Carolina 28092



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Randy & Cathy Keener
323 Southside Church Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
331 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
331 Southside Church Road
Lincolnton, North Carolina 28092

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well? _____

When was your well installed? _____

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooresville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Randy & Cathy Keener
323 Southside Church Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
331 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
331 Southside Church Road
Lincolnton, North Carolina 28092



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Vernon Allen
352 Southside Church Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
352 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)
City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐ **YES**, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐ **NO**, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Vernon Allen
352 Southside Church Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
352 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Timothy Rash (Life Estate)
406 Southside Church Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
406 Southside Church Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,

A handwritten signature in black ink, appearing to read "George Adams", with a stylized flourish at the end.

George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well? _____

When was your well installed? _____

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Stephanie Whitfield
4648 Lawrenceville Road
Loganville, Georgia 30052

Re: Water-Supply Survey & Sampling Request
277 Bynum Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
277 Bynum Road
Lincolnton, North Carolina 28092

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Stephanie Whitfield
4648 Lawrenceville Road
Loganville, Georgia 30052

Re: Water-Supply Survey & Sampling Request
277 Bynum Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**


If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
277 Bynum Road
Lincolnton, North Carolina 28092



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Andrew & Sheryl Pate
182 Bynum Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
182 Bynum Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,

A handwritten signature in black ink, appearing to read "George Adams", with a stylized flourish at the end.

George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well? _____

When was your well installed? _____

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooresville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Deane Griffin
194 Bynum Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
194 Bynum Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,

A handwritten signature in black ink, appearing to read "George D. Adams", written in a cursive style.

George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Thomas Huff, Jr.
2234 Gastonia Highway
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2234 Gastonia Highway
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)
City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Sarah Brown
2224 Gastonia Highway
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2224 Gastonia Highway
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,

A handwritten signature in black ink, appearing to read "George Adams", with a stylized flourish at the end.

George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooresville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY

Governor

DONALD R. VAN DER VART

Secretary

MICHAEL SCOTT

Director

May 24, 2016

Charles & Janice Anthony
2121 Gastonia Highway
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2103 Gastonia Highway
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
2103 Gastonia Highway
Lincolnton, North Carolina 28092

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well? _____

When was your well installed? _____

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Charles & Janice Anthony
2121 Gastonia Highway
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2103 Gastonia Highway
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
 2103 Gastonia Highway
 Lincolnton, North Carolina 28092



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Dennis & Linda Dellinger
2133 Gastonia Highway
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2133 Gastonia Highway
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**


If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,

A handwritten signature in black ink, appearing to read "George Adams", written in a cursive style.

George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Heirs of Lander Carpenter
c/o Doris Richard
6416 Leatherman Road
Vale, North Carolina 28168

Re: Water-Supply Survey & Sampling Request
2252 Old Carpenter Lane
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**


If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled

and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June 10, 2016**. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
2252 Old Carpenter Lane
Lincolnton, North Carolina 28092

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Heirs of Lander Carpenter
c/o Doris Richard
6416 Leatherman Road
Vale, North Carolina 28168

Re: Water-Supply Survey & Sampling Request
2252 Old Carpenter Lane
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled

and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June 10, 2016**. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
2252 Old Carpenter Lane
Lincolnton, North Carolina 28092



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Kimberly & Virginia Belk
2428 Heavner Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2119 Old Carpenter Lane
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
2219 Old Carpenter Lane
Lincolnton, North Carolina 28092

Water-Supply Survey & Sampling Request

Subject Property Address

Street:

City:

County:

Property Owner Information

Name:

Street:

City:

County:

Telephone Number:

Is the subject property improved with buildings or structures? **Yes / No** (*circle yes or no*)

Is the subject property currently occupied? **Yes / No**

What is the current source of drinking (potable) water at the subject property? (*circle one of the following*)

City Water / Water-Supply Well / Community Shared Well / Spring / Other (*explain*) _____

Is there a water-supply well at the subject property? **Yes / No**

How many water-supply wells are located at the subject property? _____

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **Yes / No**

What is the water-supply well used for? (*circle all that apply*)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (*please explain*) _____

How deep is your water-supply well? _____

When was your well installed? _____

Does the well at your property supply water to other residences, businesses, or properties? **Yes / No**

(*please explain*) _____

PLEASE CHECK ONE OF THE FOLLOWING

☐

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

☐

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: _____

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooresville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Kimberly & Virginia Belk
2428 Heavner Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2119 Old Carpenter Lane
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
 Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
 2219 Old Carpenter Lane
 Lincolnton, North Carolina 28092